

KIMTRON™
S C I E N T I F I C

Kimtron™ 6002 Photon Purification™ System

Features:

- NO Radioactive materials used - system is 100% recyclable
- Based on Kimtron's world-class robust, Industrial-grade components
- 30+ year track record of excellence
- 100% duty-cycle capability
- Even distribution of energy through entire container of biomass
- 10kW of Power
- Supported by Kimtron's cradle-to-grave service policy
- Fully self-contained cooling system (no need for factory supplied chilled water)
- 100% Made in the USA by a US-owned Company

Specifications:

Cooling Media:

Water to Air-Closed Loop
(<72 degrees F, ambient)

Electrical:

Voltage: 208 VAC $\pm 10\%$, 3- phase
Current: 70-100 amps (max.)

Environmental Specifications:


Operating temperature: $+5^{\circ}\text{C}$ to $+32.5^{\circ}\text{C}$
Storage temperature: 0°C to $+40^{\circ}\text{C}$
Air humidity: 20 – 80%
Noise Level: < 72 db @ 1 Meter

Physical Moving Dimensions (Cabinet Only):

Height (with casters/wheels): 76.2" = 193.54cm
Width: 42.2" = 107.18cm
Depth: 45" = 114.3cm
Weight: 5,500 lbs. = 2494.75kg




Made In America



KIMTRON™
S C I E N T I F I C

Kimtron™ 6002 Photon Purification™ System




Frontal View Dimensions



Made In America


Rev. 5/9/26

ISO 9001



KIMTRON™
S C I E N T I F I C

Kimtron™ 6002 Photon Purification™ System



Side View Dimensions




Made In America

Rev. 5/9/26


ISO 9001

Cannabis Remediation Decontamination Products
KIMTRON.COM 203-262-3361 115 Hurley Road, Bldg. #6 Oxford, CT 06478



KIMTRON™
S C I E N T I F I C

Kimtron™ 6002 Photon Purification™ System



Spatial Parameters including all components (top view)



Made In America

Rev. 5/9/26

ISO 9001

Cannabis Remediation Decontamination Products
KIMTRON.COM 203-262-3361 115 Hurley Road, Bldg. #6 Oxford, CT 06478